

Caribbean Reef Squid, *Sepioteuthis sepioidea*, Coloration and Behavior

Rachel Williams
June 9, 2008

Dominica 2008
Dr. Woolley
Dr. Lacher

Introduction:

The Caribbean Reef Squid, *Sepioteuthis sepioidea*, is in the Class Cephalopoda in the Order Mollusca. They are characterized by having two longer tentacles used to capture prey and eight smaller arms all located near the mouth. The head is also comprised of the mantle which houses all of the stomach, reproductive and digestive organs. The Caribbean Reef Squid have fins that span the entire length of the body (MarineBio, 2008). All squid can control the color of their body and by doing so they can communicate with other squid in the shoal (group). The color changes are managed by chromatophores which show reds, yellows, browns and blacks; iridiphores display blues and greens. By the retraction and expansion of the individual pigment cells, the color of the squid changes allowing different colors to be more or less prevalent. These cells are manipulated by the brain directly which are connected to nerves which send impulses through a series of muscles (Marine Biological Laboratory, 2008). I hypothesize that *S. sepioidea* at the Champagne Reef have specific color patterns that correlate to certain external stimuli. I tested this hypothesis by snorkeling out to the large shoal of squid at Champagne Reef consisting of approximately 150 members, and monitoring them. I recorded any color changes of a certain squid and the changes occurring in the immediate vicinity of that particular squid.

Materials and Methods:

I prepared to do research in Champagne Reef by trying wetsuits and found one that fit comfortably. I then found a pair of fins that were my size and a mask that made a correct seal on my face. I first sighted *S. sepioidea* when I went down to Champagne Reef for my group research on coral richness. They interested me by all of the amazing color

variations that they could change instantaneously. I looked up the species name in the Reef Fish Identification book (Humann, 1994). I then went down to Champagne Reef on three separate occasions for observation. On each trip I brought the wetsuit, fins, mask and a snorkel. To prevent fogging in the mask I washed it out with baby shampoo before putting it on. I then went out to find the squid and I floated above them. I watched three squid at a time for two minutes each. I made note of the color of the squid when I first saw them and recorded any color changes on an underwater tablet. Any more than three squid at a time was too difficult to observe because they were constantly swimming in different directions.

Results:

Initial Color and Changes according to Time each Day

Day 1 (May 30)

Time:	Observation:	Initial Color:	Color Change:
3:20-3:22	A	B/Gr	G with ES- Color of closest members in the shoal
	B	B/Gr	
	C	B/Gr	
3:25- 3:27	D	B/Gr	
	E	B/Gr with G spine	
	F	B/Gr with W spine	
3:29- 3:31	G	B/Gr	
	H	B/Gr	
	I	B/Gr	
3:32-3:34	J	B/Gr	
	K	B/Gr	
	L	B/Gr	
3:37-3:39	M	W- Swimming back and forth next to squid N	
	N	P with W spine- Swimming back and forth with squid M	
	O	B/Gr	
3:42-3:44	P	G with W spine	
	Q	B/Gr	
	R	B/ Gr	

Day 2 (June 1)

10:10-10:12	A	W arms and end- Shoal split up and was left in the middle of the two groups	
	B	W	
	C	B/Gr	G- Fish
10:15-10:17	D	B/Gr	
	E	B/Gr	G- Fish swam under
	F	B/Gr	
10:17- 10:19	G	B/Gr	P and W- Swam to another squid and fought
	H	B/Gr	
	I	B/Gr	W- Attacked another B/Gr squid that was next to another squid (female?)
10:23-10:25	J	B/Gr	
	K	B/Gr	G with ES- Fish
	L	B/Gr	

Day 3 (June 4)

2:15-2:17	A	P with W spine- Under squid C and made squid B swim away	
	B	B/Gr	
	C	W- Above squid A	
2:18-2:20	D	B/Gr	
	E	W	
	F	B with W arms- Needlefish swam by	
2:21-2:23	G	B/Gr	
	H	B/Gr	
	I	B/Gr	G- Fish swam by
2:24-2:26	J	B/Gr	
	K	B/Gr	
	L	B/Gr	
2:26-2:28	M	B/Gr	
	N	B/Gr	G- Fish swam by
	O	B/Gr	
2:29-2:31	P	P and W- <i>Doryteuthis plei</i> squid above	
	Q	P and W- <i>Doryteuthis plei</i> squid above	
	R	B/Gr	
2:32-2:34	S	Light B almost W- Swimming over light sand	
	T	Light B almost W- Swimming over light sand	
	U	Light B almost W- Swimming over light sand	

Key:

B= Brown
G= Gold
ES= Black eye spots
W= White
P= Purple
Gr= Green

Discussion:

The data collected during my observations supports my hypothesis-that there is a correlation between the color of the squid and the stimuli around it. The squid color pattern shown can be considered a visual interpretation of the surrounding environment. The gold color expressed by the *S. sepioidea* can be hypothesized to be a sign of slight uneasiness or frightfulness. Every time a fish swam by the squid it turned a golden color. Also one squid turned gold when a larger squid swam which also supports this hypothesis. If the squid was scared enough it just swam away, sometimes fading into a lighter color to blend in with the open water (MarineBio, 2008). On day 3 the squid over the lighter sand seemed to display a form of crypsis. The squid tried to blend in more with their surroundings by changing to a faint brown or tan color instead of their usual brownish green. The color change could have also been due to fright but the squid were not jetting away so this makes me believe that they were solely trying to blend in with their surroundings. Besides, *S. sepioidea* did not merely flash the lighter color; it was continuous for the entire two minutes. The white color seems to be some sort of display for the opposite sex. It could be a characteristic for sexual selection since the white one swam parallel the other back and forth which is a show of courtship (Anderson, 2008). The whitish purple color of the Caribbean Reef squid could be a sign of aggression since on two separate occasions the squid changed this color and attacked other members of the

shoal. This color pattern could also be a display for the opposite sex because in both cases there was a white squid near it. As well, squid are more aggressive during times of mating when usually they are docile creatures (McKay, 2008). The other two times the color was seen were when another species of squid (*Doryteuthis plei*) was above the *S. sepioidea*. There are about forty different patterns in total expressed by *Sepioteuthis sepioidea*, however there were only three that I witnessed amongst the squid at Champagne Reef (Byrne et al., 2003). The white color indicates courting while purple denotes aggression. When the squid are afraid they change to golden hue. This holds true to my hypothesis.

In order for these hypotheses to be well supported significantly, more observations should be done. These could be conducted in the open ocean or in a controlled setting with reared squid but it is hard to maintain their health in an artificial setting (Boal and Gonzalez, 1998). The problem with doing research in the open water with out tagging the squid is that there is no way of identifying individual squid. Also the shoal of squid might not come back to the same place during the day everyday, or it could be a different shoal.

Acknowledgements:

Most importantly, I would like to thank Dr. Woolley and Dr. Lacher for their patience and suggestions with my research project. Also I would like to thank the Soufriere and Scott's Head Marine Reserve for allow me access to the Champagne Reef to conduct my research. And I would like to thank the Archbold Tropical Research and Education Center for their hospitalities and use of their research facilities.

Works Cited:

- Anderson, Justin. 2008. Marine Invertebrates of Bermuda. Caribbean Reef Squid (*Sepioteuthis sepioidea*). <<http://www.thecephalopodpage.org/MarineInvertebrateZoology/Sepioteuthissepioidea.html>>
- Byrne, RA and Griebel U and Wood, JB and Mather A. 2003. Squid say it with skin: a graphic model for skin displays in Caribbean Reef Squid (*Sepioteuthis sepioidea*). Berliner Parabiol. Abh 03:29-35.
- Boal, JG and Gonzalez, SA. Social behaviour of individual oval squids (Cephalopoda, Teuthoidea, Loliginidae, *Sepioteuthis lessoniana*) within a captive school. *Ethology* 104 (2): 161- 178.
- Humann, Paul. Reef Fish Identification: Florida, Caribbean, Bahamas. Jacksonville, FL: New World, 1994. 259.
- MarineBio. 2008. *Sepioteuthis sepioidea*, Reef Squid. <<http://marinebio.org/species.asp?id=286>>.
- Marine Biological Laboratory. 2008. *Loligo pealei*: The Long- finned Squid. How Squid Change Color. <http://www.mbl.edu/publications/pub_archive/Loligo/squid>.
- McKay, Kelly M. 2008. Marine Invertebrates of Bermuda. Caribbean Reef Squid (*Sepioteuthis sepioidea*). <<http://www.thecephalopodpage.org/MarineInvertebrateZoology/Sepioteuthissepioidea.html>>

The Caribbean reef squid is a species of squid (*Sepioteuthis sepioidea*) that is commonly seen by divers in the reefs of the Bahamas and the Caribbean. It is very well known for its color and body patterns. They use these extraordinary colors to communicate with one another and to confuse their prey. They are related to the *Sepia officinalis* otherwise known as the cuttlefish. They are a big interest to divers because of their light show and how friendly they are to people. Florent's Guide To The Caribbean Reefs - Caribbean Reef Squid - *Sepioteuthis sepioidea* - Squids - - Squids - Caribbean, Bahamas, Florida - Caribbean Reef Squid. Scientific Name: *Sepioteuthis sepioidea*. Order: Myopsida. Family: Loliginidae. Category: Squids. Size: 6 to 12 in. (15 to 30 cm). Marine life identification guide > Caribbean reef squid. *Sepioteuthis sepioidea*. Caribbean reef squid. Distribution: Caribbean Sea and Florida. Replaced in Indian and Pacific Oceans by closely related *Sepioteuthis lessoniana*. *Sepioteuthis sepioidea* snorkeling pictures. at Ilet À Ramiers (Martinique) © cailly-bruno. at Akumal (Mexico). at Palm Island (Saint Vincent and the Grenadines) © chris-burton. at Bocas Town (Panama) © jc_mara. at West End (Roatán). The Caribbean Reef Squid ("*Sepioteuthis sepioidea*"), also known as just the Reef Squid, is a small (20 cm) torpedo-shaped squid with fins that extend nearly the entire length of the body and undulate rapidly as it swims. Distribution and habitat. The Caribbean Reef Squid is found throughout the Caribbean Sea as well as off the coast of Florida, commonly in small schools of 4-30 in the shallows associated with reefs. The habitat of the Reef Squid changes according to the squid's stage of life and size. New hatchlings tend to reside close to the shore in areas from 0.2-1 meters. Featured: Caribbean Reef Squid (*Sepioteuthis sepioidea*). Did you know that squid use chromatophores to change their color? Featured: Caribbean Reef Squid (*Sepioteuthis sepioidea*). Related videos. 0:41. Virtual Swim in Brewers Bay. UVI Center for Marine and Environmental Studies. 351 views · 20 April. 0:06. Who says you can't have trees underwater? Hanging from these pvc frames are an endangered species of coral (*Acropora*). Once they grow up, they can be relocated onto a reef to help restore lost habitat. #coral #tree #ocean #scuba #diving #nature #underwater #science #marinescience #usvi. UVI Center for Marine and Environmental Stu